ZERO+

GREAT COFFEE MORE CHOICES





GREAT COFFEE MORE CHOICES

Egro Zero+ is the ideal fully automatic coffee machine for all those locations with medium-low daily consumptions. It dispenses top quality beverages made from coffee, milk or soluble powders and manages to compact Egro-branded technology in just 33 centimeters. It is user-friendly, easy to clean, highly reliable and equipped with an innovative milk system. Recommended for daily outputs up to 150 cups, Egro Zero+ is designed to satisfy the various requirements of offices, self-service facilities, bakeries, retail stores and refreshment areas and is available in 3 versions: Pure Coffee, Quick Milk, Quick Milk Pro.

ZERO+ PURE COFFEE

QUICK MILK

ZERO+

ZERO+ QUICK MILK PRO

x150

x150

x150

CUPS PER DAY

CUPS PER DAY

CUPS PER DAY

HIGHLIGHTS



COFFEE

Swiss coffee technology

The latest Egro coffee technologies and long-lasting components, for top-quality coffee and a perfect milk foam for all milk-based beverages.

INTERFACE

Keypad

8-button user interface, 16 products ready to brew plus hot water and steam.

DESIGN

Space-saving design

Egro technology in just 33 cm width.

ADD-ON

Add-ons for your business

Maximum flexibility and a wide portfolio of add-ons to personalise your products according to your business needs.

CLEANING

Easy step-by-step daily cleaning program and water rinsing cycles.

Easy to clean

SWISS COFFEE TECHNOLOGY



STAINLESS STEEL BREWING UNIT

The stainless steel brewing group with its 18 grams brew chamber capacity allows to brew delicious beverages out of all coffee blends or single origins.

STAINLESS STEEL FLAT BURRS

The stainless steel grinders ensure quality and precision, to consistently dispense the right amount of coffee for the beverage requested.

64 mm

BURRS DIAMETER

BEAN HOPPER

0.5 kg / 1.1 lb

BEAN HOPPER CAPACITY

BUILT-IN POWDER HOPPER

The built-in powder hoppers are the ideal solution for chocolate and all the other soluble products.

2x 1.3 1

POWDER HOPPER CAPACITY

DUAL BOILER TECHNOLOGY

Two separate boiler for coffee preparation and steam.

 $0.5 \, 1/16.9 \, \text{oz}$

COFFEE BOILER CAPACITY

0.51/16.9oz

STEAM BOILER CAPACITY







STEAM ----- WATER -----

STEAM WAND

WATER WAND

The steel steam wand is adjustable and easy to clean. The separate water wand is extendable to suit all the operator's needs and it is possible to deliver water while brewing coffee.



QUICK MILK PRO

For those locations offering a wide variety of milk-based beverages on their menu, Egro LAB has developed Egro Zero+ Quick Milk Pro. Thanks to the new pump

module, located inside the fridge, the Quick Milk Pro ensures top quality milk-based drinks, allowing to adjust milk temperature and frothing levels for each beverage.



EXTRA-LARGE COFFEE-BASED **BEVERAGES**

The volumetric pump on the Egro Zero+ is perfect for the rapid and non-stop preparation of all Extra-Large coffee-based beverages.

SMART INTERFACE



INTERFACE

The Egro Zero+ menu enables the configuration and setting of 16 different beverages plus hot water and steam. It is possible to personalize the label and the description of each beverage.

3 ACCESS LEVELS


Three dedicated menus offer baristas, managers and technicians the best user experience for their needs.

SELF-SERVICE MODE

Customers can prepare one drink at a time on their own, without the support of the staff.

BACKLIT KEYPAD

The user interface is intuitive and equipped with a backlit touchpad.



$\times 11$

MENU AVAILABLE
IN ELEVEN LANGUAGES
INCLUDING RUSSIAN,
SIMPLIFIED CHINESE,
TRADITIONAL CHINESE,
JAPANESE AND KOREAN.

DESIGN & ERGONOMICS



Egro Zero+ is compact and powerful, easy to use and designed with top-quality components for total high reliability.

SPACE-SAVING DESIGN

Compact footprint: main unit and powder system in just 33 cm width.

33cm / 12.9in

MAIN UNIT WIDTH

LED LIGHTS

Maximum visual comfort thanks to LED lights on the work area.



STAINLESS STEEL TRAY

In the self-service setup, the stainless steel tray is easy to remove and clean and has two different cup-placing positions, to ensure that any type of cup is always placed correctly under the brewing spout.

FRIDGES AND ADD-ONS

BENEFITS

Expand your horizons by adding fridges and add-ons.




EGRO ZERO+ QUICK MILK PRO

- + CUPWARMER
- + IN-BUILT POWDER HOPPER
- + QUICK MILK FRIDGE


QUICK MILK FRIDGE

Stylish, practical 4 litre Quick Milk Fridge with a brushed stainless steel door.




FUM FRIDGE

The FUM 4-litre fridge can be placed right below the machine for best space optimization.




CUP WARMER

External cup warmer with adjustable temperature level and three heatable trays.



PAYMENT SYSTEMS


Enjoy utmost flexibility with a range of standard and optional payment system solutions.




MAXIMUM FLEXIBILITY

A WIDE RANGE OF SETUPS


Egro designs personalised solutions for all needs.



OTHER CONFIGURATIONS







EGRO ZERO+ QUICK MILK PRO

- + CUPWARMER
- + IN-BUILT POWDER HOPPER
- + QUICK MILK FRIDGE

CLEANING AND MAINTENANCE





CLEANING

Fast and simple cleaning makes it easy to uphold high health and hygiene standards. Egro ZERO+ provides a cleaning system which guides users through the procedure. The user may rapidly and easily activate the complete cleaning cycle (6 minutes) with hot water and detergent by following the instructions as they appear on the display. The spout can be easily removed and cleaned.

RINSING CYCLE

A rinsing cycle start automatically at a preset time after the last beverage delivery.



MAINTENANCE

EASY ACCESS TO ALL COMPONENTS

Easy access to the main internal components to facilitate maintenance operations and ensure high reliability.

USB PORT

Zero+ comes with a USB port to transfer technical data and upload images and videos.




The brewing unit is equipped with Dura Brew, the hermetic sealing system that reduces maintenance costs and the total cost of ownership.


Egro Patented Technology

ZERO+ TECHNICAL DATA

DIMENSIONS



330 mm / 12,9 in



600 mm / 23.6 in

MAIN UNIT TECHNICAL DATA

WXDXH

330 x 600 x 778 mm 12.9 x 23.6 x 30.6 in

WEIGHT

45 kg / 99.2 lb

ENERGY SUPPLY

110 V, 60 Hz (1.4 kW) 220-240 V, 60 Hz (3.2 kW)

WATER SUPPLY

Fixed water connection (standard)
4.5 litre water tank* (optional, without change in price)

ENERGY CONSUMPTION PER DAY

Pure Coffee 0,779 kWh Quick Milk 1,237 kWh

Quick Milk Pro 1.237 kWh

NOISE LEVEL DURING USE

< 70 db

INTERFACCIA

KEYPAD

Keypad 9 buttons

RECOMMENDED DAILY OUTPUT

ZERO+ PURE COFFEE

ZERO+ QUICK MILK

ZERO+ QUICK MILK PRO

x150

CUPS PER DAY

×150

x150

CUPS PER DAY


CUPS PER DAY

^{*}The tank versions, only available with Pure Coffee and Quick Milk versions, are equipped with a vibration pump. All other configurations include a volumetric pump.


23

ZERO+


ZERO+ PURE COFFEE



ZERO+ QUICK MILK



ZERO+ QUICK MILK PRO



FEATURES

	PURE	QUICK	QUICK
COFFEE	COFFEE	MILK	MILK PRO
8-g brewing chamber			
Second grinder	•	•	•
Bypass single cup (for 1 cup of caffè Americano) Bypass dual cup (for 2 cups of long coffee)	•	•	•
sypass dual cup (for 2 cups of folig corree)	•	•	
HOT WATER			
Right side hot water outlet	•	•	•
Central hot water outlet	•	•	•
STEAM			
Steam wand (C-lever system)	•	•	•
DOWNED			
POWDER 1 built-in powder hopper (capacity 1.3 I)	•	•	•
2 built-in powder hopper (capacity 1.3 l)	•	•	_
MILK SYSTEMS			
Quick Milk	<u>-</u>	•	_
Quick Milk Pro	_	_	
FRIDGES			
Quick Milk fridge	_	•	
FUM fridge	_	•	_
ADDITIONAL OPTIONALS			
Under counter grounds chute	•	•	•
_ock package	•	•	•
Option Self (Lock package, Cup stopper)		0	0
Payment systems Connect (telemetry system)	•	•	•
ADD-ON			
Cup Warmer	•	•	•
Standard Optional Not available —			

^{*} standard with right side hot water outlet

FRIDGES: TECHNICAL DATA

QUICK MILK FRIDGE

340 mm / 13.4 in









460 mm / 18.1 in

 $W \times D \times H$

230 × 460 × 340 mm 9 × 18.1 × 13.4 in

WEIGHT

14 kg / 30.1lb

POWER SUPPLY

220 - 240 V~, 50 Hz, 0.62 A 220 V~, 60 Hz, 0.62 A 110 V ~, 60 Hz, 1.35 A

MILK CONTAINER CAPACITY 6,5 I / 1,72 gal US / 0,51 gal UK

COLOURS







ADD-ONS: TECHNICAL DATA

PAYMENT SYSTEMS

573 mm / 22,6 in





142 mm / 329 mm / 5,6 in 13 in

$W \times D \times H$

150 × 365 × 580 mm $5.9 \times 14.4 \times 22.8$ in

POWER SUPPLY

24 V dalla macchina per caffè

COLOURS

■ INOX/BLACK ■ BLACK

FUM FRIDGE





 $W \times D \times H$

315 × 600 × 203 mm 12.4 × 23.6 × 8 in

WEIGHT

18.5 kg / 40.8 lb

POWER SUPPLY

220 - 240 V~, 50 Hz, 0.8 A 220 V~, 60 Hz, 0.9 A 115 V ~, 60 Hz, 1.3 A


MILK CONTAINER CAPACITY

4 |

COLOURS

● NERO

CUP WARMER



 $W \times D \times H$

300×365×580 mm 11.8×14.4×22.8 inch

WEIGHT

14 kg / 30.1lb

POWER SUPPLY

220-240 V~, 50 Hz

POWER RATING

420 W

COLOURS





✓ INOX/BLACK ■ BLACK

2 7

CONNECT

POWER TO YOUR COFFEE BUSINESS

It doesn't matter what size your organization is, the only important thing is that you want to improve your coffee business. Connect helps you to make effective use of the data generated by your coffee machines, and support you in advancing your own journey becoming a data-driven business. It's time to take a competitive advantage in whatever marketplace you operate in.

RANCILIOGROUP.COM/CONNECT

BENEFITS



1

USER-FRIENDLY DASHBOARDY



2

MANAGE YOUR FLEET WITH EASE





4

INCREASE BUSINESS PERFORMANCE

HOW IT WORKS

श DESKTOP R CLOUD GSM / LAN / WIFI RANCILIO GROUP TABLET પ્ર MOBILE GATEWAY DATA DATA COFFEE MACHINE FLEET

RANCILIOGROUP

ranciliogroup.com



an Ali Group company



The Spirit of Excellence